



## MATERIAL SAFETY DATA SHEET

### SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: BUEHLER EPO-KWICK RESIN  
 IDENTIFICATION NUMBER: 20-8136-128 (20-8128, 20-8129)  
 PRODUCT USE/CLASS: Epoxy resin

SUPPLIER:  
 BUEHLER, a division of Illinois Tool Works Inc.  
 41 WAUKEGAN ROAD  
 LAKE BLUFF, IL 60044

EMERGENCY: 800-424-9300  
 INFORMATION: 847-295-6500  
 PREPARER: Technical Department, 847-295-6500  
 PREPARE DATE: 03/23/09, 23 March 2009

### SECTION 2 – COMPOSITION/INFORMATION ON INGREDIENTS

ITEM	CHEMICAL NAME	CAS NUMBER	WT/WT%			
01	Bisphenol-A Epoxy resin	25068-38-6	60.0-100.0			
02	Alkyl glycidyl ether blend	NONE – MIX	10.0-30.0			
03	Acrylate ester	TRADE SECRET	5.0-10.0			
ITEM	ACGIH TLV-TWA	ACGIH TLV-STEL	OSHA PEL-TWA	OSHA PEL – CEILING	COMPANY TLV-TWA	SKIN
01	N.E.	N.E.	N.E.	N.E.	N.E.	NO
02	N.E.	N.E.	N.E.	N.E.	N.E.	NO
03	N.E.	N.E.	N.E.	N.E.	N.E.	NO

(SEE SECTION 16 FOR ABBREVIATION LEGEND)

### SECTION 3 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Harmful if swallowed. Causes skin irritation. May cause allergic skin reaction. Contact may cause eye injury.

ACUTE EFFECTS – EYE CONTACT: Contact may cause injury to eye tissue if not removed promptly.

ACUTE EFFECTS - SKIN CONTACT: Contact causes severe skin irritation and possible burns. Repeated or prolonged contact may cause sensitization.

ACUTE EFFECTS – INHALATION: Liquid aspirated into lungs may cause serious injury or death. Vapors and/or aerosols formed at elevated temperatures can be irritating.

ACUTE EFFECTS - INGESTION: Irritating to mouth, throat and stomach, with nausea. Substance may be harmful if swallowed. Slightly toxic.

CHRONIC OVEREXPOSURE EFFECTS: \*Preexisting pulmonary and dermatological disorders may be aggravated by exposure to hazardous components. \*Neopentyl glycol diglycidyl ether was found to be carcinogenic in skin painting tests on mice. Mutagenic "in-vitro."

OTHER INFORMATION: No information.

PRIMARY ROUTE(S) OF ENTRY: SKIN CONTACT, INHALATION, EYE CONTACT

### SECTION 4 – FIRST AID MEASURES

EYE CONTACT: Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

SKIN CONTACT: Immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

INHALATION: If symptoms occur, remove to fresh air. Medical personnel may administer oxygen if breathing is difficult. Seek medical attention if symptoms persist.

INGESTION: If swallowed, do NOT induce vomiting. Give victim a glass of water or milk. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

NOTES TO PHYSICIAN: Treat symptomatically.

### SECTION 5 – FIRE FIGHTING MEASURES

FLASH POINT: 200 F (PENSKEY-MARTENS C.C.)

LOWER EXPLOSIVE LIMIT: N.A.

UPPER EXPLOSIVE LIMIT: N.A.

AUTOIGNITION TEMPERATURE: No Data

EXTINGUISHING MEDIA: CO<sub>2</sub>, DRY CHEMICAL, FOAM, WATER FOG

UNUSUAL FIRE AND EXPLOSION HAZARDS: Closed containers may rupture or explode (due to pressure build-up) when exposed to extreme heat. Irritating and/or toxic gases or fumes may be generated by thermal decomposition or combustion.

SPECIAL FIREFIGHTING PROCEDURES: Use NIOSH-approved self-contained breathing apparatus and full protective clothing. Use water to cool exposed containers. Water stream directed into fire may cause frothing with subsequent spread of flame.

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Reclaim clean material. Wear appropriate protective equipment during cleanup. Remove sources of ignition. Dike or contain spill away from drains and waterways. Absorb with inert material, such as clay. Sweep or shovel into loosely-covered waste container and remove to appropriate waste area.

## SECTION 7 – HANDLING AND STORAGE

HANDLING: Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Follow all MSDS/label precautions even after container is emptied because it may retain product residues. Avoid contact with eyes, skin, and clothing. FOR INDUSTRIAL USE ONLY.

STORAGE: Keep container closed when not in use.

## SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Local exhaust as needed to control vapor or dust levels to below lowest component TLV.

RESPIRATORY PROTECTION: If TLV/PEL is exceeded, if use is performed in a poorly-ventilated space, or if inhalation effects occur, use NIOSH-approved vapor cartridge respirator in accordance with applicable health and safety regulations and manufacturer's recommendations.

SKIN PROTECTION: Butyl rubber gloves. Neoprene gloves. Nitrile gloves. Supported PVA gloves.

EYE PROTECTION: Chemical splash goggles.

OTHER PROTECTIVE EQUIPMENT: Accessible eye wash and safety shower.

HYGIENIC PRACTICES: Follow good general industrial safety practices during use. Do not smoke or eat during use. DO NOT reuse empty containers without commercial clean or recondition.

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

BOILING RANGE:	405 - 580 F	VAPOR DENSITY:	Is heavier than air
ODOR:	Mild acrylic	ODOR THRESHOLD:	No data
APPEARANCE:	Clear lt. yellow	EVAPORATION RATE:	Is slower than Butyl Acetate
SOLUBILITY IN H <sub>2</sub> O:	Negligible		
FREEZE POINT:	No data	SPECIFIC GRAVITY:	1.1056
VAPOR PRESSURE:	No data	pH @ 0.0%:	N.A.
PHYSICAL STATE:	Liquid	VISCOSITY:	Low
COEFFICIENT OF WATER/OIL DISTRIBUTION:	No data		

(SEE SECTION 16 FOR ABBREVIATION LEGEND)

## SECTION 10 – STABILITY AND REACTIVITY

CONDITIONS TO AVOID: Prolonged exposure to heat.

INCOMPATIBILITY: Strong Lewis or mineral acids. Strong bases or oxidants. Reaction with amines and mercaptans in large amounts or under uncontrolled conditions releases considerable heat and may release acrid fumes. Free radical initiators.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon. Aldehydes and acids from incomplete combustion. Phenolic compounds.

HAZARDOUS POLYMERIZATION: Will not occur under normal conditions.

STABILITY: This product is stable under normal storage conditions.

## SECTION 11 – TOXICOLOGICAL PROPERTIES

### COMPONENT TOXICOLOGICAL INFORMATION:

----- CHEMICAL NAME -----

Bisphenol-A Epoxy resin

Alkyl glycidyl ether blend

Acrylate ester

----- LD50 -----

Oral-rat=>11 g/kg

Derm-rbt >4.5 g/kg

No information

----- LC50 -----

No deaths/satd air

rat >1.5mg/l/4Hr

No information

## SECTION 12 – ECOLOGICAL INFORMATION

ECOLOGICAL TEST DATA: No information.

## SECTION 13 – DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Review all current federal, state, and local regulations regarding health and disposal for appropriate disposal procedures. When cured, product is non-hazardous, and may be placed in industrial or municipal landfill if local regulations permit. Landfill of free liquid is NOT recommended. Fuels blending of free liquid preferred if regulations permit.

## SECTION 14 – TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME: Not regulated for transport

DOT TECHNICAL NAME: N.A.

DOT HAZARD CLASS: N.A.

DOT UN/NA CLASS: N.A.

HAZARD SUBCLASS: N.A.

PACKAGING GROUP: N.A.

RESP. GUIDE PAGE:

INTERNATIONAL SHIPPING NAME: Not regulated for transport

INTERNATIONAL ID NUMBER: N.A.

IMDG CLASS (1°, 2°): N.A.

IMDG EMS: N.A.

IMDG PAGE NUMBER: N.A.

IATA CLASS (1°, 2°): N.A.

## SECTION 15 – REGULATORY INFORMATION

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200)

CERCLA – SARA HAZARD CATEGORY: THIS PRODUCT HAS BEEN REVIEWED, AND IS CONSIDERED, UNDER APPLICABLE DEFINITIONS, TO MEET THE FOLLOWING CATEGORIES: IMMEDIATE HEALTH HAZARD

SARA SECTION 313: THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 AND 40 CFR PART 372:

----- CHEMICAL NAME ----- CAS NUMBER WT/WT % IS LESS THAN

No SARA Section 313 components exist in this product.

TOXIC SUBSTANCE CONTROL ACT: THE CHEMICAL SUBSTANCES IN THIS PRODUCT ARE ON THE TSCA SECTION 8 INVENTORY. THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL SUBSTANCES SUBJECT TO THE REPORTING REQUIREMENTS OF TSCA 12(B) IF EXPORTED FROM THE UNITED STATES:

----- CHEMICAL NAME ----- CAS NUMBER

No components found.

NEW JERSEY RIGHT-TO-KNOW: THE FOLLOWING MATERIALS ARE NON-HAZARDOUS, BUT ARE AMONG THE TOP 5 COMPONENTS IN THIS PRODUCT:

----- CHEMICAL NAME ----- CAS NUMBER

No non-hazardous materials are among the top five ingredients.

PENNSYLVANIA RIGHT-TO-KNOW: THE FOLLOWING NON-HAZARDOUS INGREDIENTS ARE PRESENT IN THE PRODUCT AT GREATER THAN 3%:

----- CHEMICAL NAME ----- CAS NUMBER

No non-hazardous ingredients are present at greater than 3%.

CALIFORNIA PROPOSTION 65: No Proposition 65 chemicals known to exist in this product.

CANADIAN WHMIS: THIS MSDS HAS BEEN PREPARED IN COMPLIANCE WITH CONTROLLED PRODUCT REGULATIONS EXCEPT FOR USE OF THE 16 HEADINGS.

CANADIAN WHMIS CLASS: D2B, B3

COMPONENT RCRA CLASSIFICATIONS: Not regulated

COMPONENT RCRA CODES: No information.

CERCLA RQ VALUE (MINIMUM): None known

## SECTION 16 – OTHER INFORMATION

### HMIS RATINGS

HEALTH: 2

FLAMMABILITY: 1

REACTIVITY: 0

PREVIOUS MSDS REVISION DATE: 01/24/08; 24 Jan 08

REASON FOR REVISION: Administrative change for new format.

VOLATILE ORGANIC COMPOUNDS: 0 grams/ltr (calculated)

### LEGEND:

N.A. – NO INFORMATION

N.E. – NOT ESTABLISHED

N.D. – NOT DETERMINED

ABBREVIATIONS: ACGIH = AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS; OSHA = OCCUPATIONAL HEALTH AND SAFETY ADMINISTRATION; TLV-TWA = THRESHOLD LIMIT VALUE – TIME WEIGHTED AVERAGE (8 HOURS); STEL = SHORT-TERM EXPOSURE LIMIT (15 MINUTES); C = CEILING VALUE; PEL = PERMISSIBLE EXPOSURE LIMIT

DISCLAIMER: TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED IN THIS MSDS IS ACCURATE OR IS OBTAINED FROM SOURCES BELIEVED TO BE ACCURATE. HOWEVER, NO LIABILITY, EXPRESSED OR IMPLIED, IS ASSUMED FOR THE ACCURACY OR COMPLETENESS OF THE INFORMATION CONTAINED HEREIN. BUYER ASSUMES LIABILITY IN ITS USE OF THE MATERIAL.