


```

=====
SECTION 5 - FIRE FIGHTING MEASURES
=====

```

UNUSUAL FIRE AND EXPLOSION HAZARDS: Not Applicable.

SPECIAL FIREFIGHTING PROCEDURES: Treat as petroleum fire. Wear appropriate approved protective equipment. Avoid directing water stream directly into flame; it may cause frothing with subsequent spread of flame.

```

=====
SECTION 6 - ACCIDENTAL RELEASE MEASURES
=====

```

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Block off drains and dike spill. Reclaim clean material. Wipe up contaminated material and place in covered waste container. Wash spill area with soap and water.

```

=====
SECTION 7 - HANDLING AND STORAGE
=====

```

HANDLING: Avoid prolonged or repeated contact with skin. Follow good general industrial safety practices during use and handling. FOR INDUSTRIAL USE ONLY.

STORAGE: KEEP OUT OF THE REACH OF CHILDREN.

```

=====
SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION
=====

```

ENGINEERING CONTROLS: No special ventilation normally required.

RESPIRATORY PROTECTION: None normally required under good general industrial ventilation.

SKIN PROTECTION: Cloth or synthetic gloves.

EYE PROTECTION: Safety glasses with side shields.

OTHER PROTECTIVE EQUIPMENT: Not Applicable.

HYGIENIC PRACTICES: DO NOT reuse empty containers.

```

=====
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES
=====

```

BOILING RANGE	: N.A.	VAPOR DENSITY	: Is heavier than air
ODOR	: mild petroleum	ODOR THRESHOLD	: No data
APPEARANCE	: oily	EVAPORATION RATE:	Is slower than Butyl Acetate
SOLUBILITY IN H2O	: Insoluble	SPECIFIC GRAVITY:	<1.00
FREEZE POINT	: No data	pH @ 0.0 %	: N/A
VAPOR PRESSURE	: No data	VISCOSITY	: low
PHYSICAL STATE	: liquid		
COEFFICIENT OF WATER/OIL DISTRIBUTION: No data (See Section 16 for abbreviation legend)			

```

=====
SECTION 10 - STABILITY AND REACTIVITY
=====

```

CONDITIONS TO AVOID: None known.

INCOMPATIBILITY: No information.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon.

HAZARDOUS POLYMERIZATION: Will not occur under normal conditions.

STABILITY: This product is stable under normal storage conditions.

Continued on Page 3)

SECTION 11 - TOXICOLOGICAL PROPERTIES

No product or component toxicological information is available.

Toxicological Test Data: Not Applicable.

ACUTE EFFECTS - EYE CONTACT: Not expected to present a hazard in normal industrial use. May cause transient mechanical irritation with tearing.

ACUTE EFFECTS - SKIN CONTACT: Prolonged contact may cause defatting of skin.

ACUTE EFFECTS - INHALATION: May cause transient irritation. Prolonged inhalation may cause drowsiness and headache.

ACUTE EFFECTS - INGESTION: May cause nausea and vomiting. Liquid aspirated into lungs may cause chemical pneumonitis.

CHRONIC OVEREXPOSURE EFFECTS: Not Applicable.

SECTION 12 - ECOLOGICAL INFORMATION

ECOLOGICAL TEST DATA: Not Applicable.

SECTION 13 - DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Incineration or fuels blending recommended if regulations permit. Treat as used oil.

SECTION 14 - TRANSPORTATION INFORMATION

INTERNATIONAL SHIPPING NAME: Not regulated for transport

INTERNATIONAL ID NUMBER: N/A

IMDG CLASS (10,20): N/A

IMDG PAGE NUMBER: N/A

IMDG EMS: N/A

IATA CLASS (10,20): N/A

INTERNATIONAL SHIPPING INFORMATION: Not Applicable.

SECTION 15 - REGULATORY INFORMATION

CHIP SUPPLY LABEL RISK PHRASES: Not regulated.

CHIP SUPPLY LABEL SAFETY PHRASES: For Professional Use Only.

CHIP SUPPLY LABEL SYMBOLS: Not regulated.

VOLATILE ORGANIC COMPOUNDS (VOCS): 0 grams/ltr (calculated)

Continued on Page 4)

```

=====
SECTION 16 - OTHER INFORMATION
=====

```

PREVIOUS MSDS REVISION DATE: 10/08/01
REASON FOR REVISION: new format

ADMINISTRATIVE REVISION DATE: n/a
REASON FOR REVISION: n/a

LEGEND: N.A. - Not Applicable, N.E. - Not Established,
N.D. - Not Determined

ABBREVIATIONS: ACGIH = American Conference of Governmental Industrial Hygienists; UK = United Kingdom; REL = Recommended Exposure Limit; MAK = Maximale Arbetisplatzkonzentration (Maximum Concentration in the Workplace); TLV-TWA = Threshold Limit Value-Time Weighted Average (8 hours); STEL = Short-Term Exposure Limit (15 minutes); C = Ceiling Value; PEL = Permissible Exposure Limit

DISCLAIMER: To the best of our knowledge, the information contained in this SDS is accurate or is obtained from sources believed to be accurate. However, no liability, expressed or implied, is assumed for the accuracy or completeness of the information contained herein. Buyer assumes liability in its use of the material.

```

=====
<END OF SDS>

```