

S A F E T Y   D A T A   S H E E T

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : BUEHLER AUTOMET LAPPING OIL  
IDENTIFICATION NUMBER: 60-3250-006, 60-3250-128  
PRODUCT USE/CLASS : Oil

SUPPLIER:

Buehler UK, Ltd. Saturn Building 101, Lockhurst Lane Coventry CV6 5SF ENGLAND TEL: (+44) (0) 24 7658 2158 FAX: (+44) (0) 24 7658 2159	Buehler GmbH In der Steele 2, 40599 Düsseldorf Postfach 16 03 55, 40599 Düsseldorf Telefon: (+49) 0211-974100 Telefax: (+49) 0211-9741079
--	---

PREPARER: Technical Department, PHONE: +18472955600,, PREPARE DATE: 02/07/01

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

ITEM	CHEMICAL NAME	CAS NUMBER	WT/WT%
------	---------------	------------	--------

No Hazardous Materials are Contained in this Product  
(See Section 16 for abbreviation legend)

SECTION 3 - IDENTIFICATION OF HAZARDS

EMERGENCY OVERVIEW: Not considered a dangerous good for supply.

PRIMARY ROUTE(S) OF ENTRY: N/A

SECTION 4 - FIRST AID MEASURES

EYE CONTACT: Immediately flush eyes with plenty of water. Get medical attention if irritation develops or persists.

SKIN CONTACT: Wash with soap and water. Get medical attention if irritation develops or persists.

INHALATION: No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of dusts or fumes, remove to fresh air and get medical attention if cough or other symptoms develop.

INGESTION: If swallowed, do NOT induce vomiting. Give victim a glass of water or milk. Call a physician or poison control centre immediately. Never give anything by mouth to an unconscious person.

NOTES TO PHYSICIAN: Treat symptomatically.

SECTION 5 - FIRE FIGHTING MEASURES

FLASH POINT: N.A.	LOWER EXPLOSIVE LIMIT: N.A.
	UPPER EXPLOSIVE LIMIT: N.A.

AUTOIGNITION TEMPERATURE: No data

EXTINGUISHING MEDIA:ALCOHOL FOAM,CO2,DRY CHEMICAL,FOAM,WATER FOG

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known.

Continued on Page 2)

SECTION 5 - FIRE FIGHTING MEASURES

SPECIAL FIREFIGHTING PROCEDURES: Treat as petroleum fire. Wear appropriate approved protective equipment. Avoid directing water stream directly into flame; it may cause frothing with subsequent spread of flame.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Reclaim clean material. Place contaminated material in covered waste container and dispose of in accordance with local and national regulations.

SECTION 7 - HANDLING AND STORAGE

HANDLING: Avoid prolonged or repeated contact with skin. Follow good general industrial safety practices during use and handling. FOR INDUSTRIAL USE ONLY.

STORAGE: KEEP OUT OF THE REACH OF CHILDREN.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: No special ventilation normally required.

RESPIRATORY PROTECTION: None normally required under good general industrial ventilation.

SKIN PROTECTION: Cloth or synthetic gloves.

EYE PROTECTION: Safety glasses with side shields.

OTHER PROTECTIVE EQUIPMENT: None known.

HYGIENIC PRACTICES: DO NOT reuse empty containers.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

BOILING RANGE : N.A. VAPOR DENSITY : Is heavier than air
ODOR : Mild oily ODOR THRESHOLD : N/A
APPEARANCE : Light yellow EVAPORATION RATE: Is slower than Butyl
SOLUBILITY IN H2O : Negligible Acetate
FREEZE POINT : No data SPECIFIC GRAVITY: 0.9006
VAPOR PRESSURE : No data - low pH @ 0.0 % : N/A
PHYSICAL STATE : Liquid VISCOSITY : Medium
COEFFICIENT OF WATER/OIL DISTRIBUTION: No data
(See Section 16 for abbreviation legend)

SECTION 10 - STABILITY AND REACTIVITY

CONDITIONS TO AVOID: No information.

INCOMPATIBILITY: No information.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon.

HAZARDOUS POLYMERIZATION: Will not occur under normal conditions.

STABILITY: This product is stable under normal storage conditions.

Continued on Page 3)

SECTION 11 - TOXICOLOGICAL PROPERTIES

No product or component toxicological information is available.

Toxicological Test Data: No information.

ACUTE EFFECTS - EYE CONTACT: Not expected to present a hazard in normal industrial use.

ACUTE EFFECTS - SKIN CONTACT: Not expected to present a hazard in normal industrial use.

ACUTE EFFECTS - INHALATION: Not expected to present hazard in normal industrial use.

ACUTE EFFECTS - INGESTION: May cause nausea and vomiting. Small amounts (a tablespoonful) swallowed during normal handling operations are not likely to cause injury; swallowing amounts larger than that may cause injury. Liquid aspirated into lungs may cause chemical pneumonitis.

CHRONIC OVEREXPOSURE EFFECTS: No information.

SECTION 12 - ECOLOGICAL INFORMATION

ECOLOGICAL TEST DATA: No information.

SECTION 13 - DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Incineration or fuels blending recommended if regulations permit. Treat as used oil.

SECTION 14 - TRANSPORTATION INFORMATION

INTERNATIONAL SHIPPING NAME: Not regulated for transport

INTERNATIONAL ID NUMBER: N/A

IMDG CLASS (10,20): N/A

PACKING GROUP: N/A

IMDG EMS: N/A

IATA CLASS (10,20): N/A

SECTION 15 - REGULATORY INFORMATION

CHIP SUPPLY LABEL RISK PHRASES: None required/Not regulated.

CHIP SUPPLY LABEL SAFETY PHRASES: None required.

CHIP SUPPLY LABEL SYMBOLS: NONE REQUIRED.

SECTION 16 - OTHER INFORMATION

PREVIOUS MSDS REVISION DATE: 02/07/01

REASON FOR REVISION: new format

ADMINISTRATIVE REVISION DATE:

REASON FOR ADMINISTRATIVE REVISION:

VOLATILE ORGANIC COMPOUNDS (VOCS): 9 grams/ltr

Continued on Page 4)

=====

SECTION 16 - OTHER INFORMATION

=====

LEGEND: N.A. - No information, N.E. - Not Established,  
 N.D. - Not Determined

ABBREVIATIONS: ACGIH = American Conference of Governmental Industrial Hygienists; UK = United Kingdom; REL = Recommended Exposure Limit; MAK = Maximale Arbetisplatzkonzentration (Maximum Concentration in the Workplace); TLV-TWA = Threshold Limit Value-Time Weighted Average (8 hours); STEL = Short-Term Exposure Limit (15 minutes); C = Ceiling Value; PEL = Permissible Exposure Limit

DISCLAIMER: To the best of our knowledge, the information contained in this MSDS is accurate or is obtained from sources believed to be accurate. However, no liability, expressed or implied, is assumed for the accuracy or completeness of the information contained herein. Buyer assumes liability in its use of the material.

=====

<END OF SDS>