


SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1 Product identifier

Buehler EpoHeat 2 Resin
Article number 20-3420-064

1.2 Relevant identified uses of the substance or mixture and uses advised against
1.2.1 Relevant uses

Mounting material for metallographic specimens

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company ITW Test & Measurement GmbH
 In der Steele 2
 40599 Düsseldorf / GERMANY
 Phone 0800 707 6273
 Fax 0800 707 6274
 Homepage www.buehler-met.de
 E-mail info.uk@buehler.com

Address enquiries to

Technical information info.uk@buehler.com

Safety Data Sheet sdb@chemiebuero.de

1.4 Emergency telephone number

Company 0800 707 6273 (Only valid if dialled within the UK) +49 (0) 211 974100

SECTION 2: Hazards identification
2.1 Classification of the substance or mixture

Skin Irrit. 2: H315 Causes skin irritation.
 Eye Irrit. 2: H319 Causes serious eye irritation.
 Skin Sens. 1: H317 May cause an allergic skin reaction.
 Aquatic Chronic 2: H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements
Hazard pictograms


Signal word WARNING

Contains: Diglycidyl bisphenol A resin (number average molecular weight ≤ 700)
 Epoxy resin (Reaction product of epichlorohydrin & bisphenol F, number average molecular weight ≤ 700)
 Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Hazard statements

H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H317 May cause an allergic skin reaction.
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.
 P280 Wear protective gloves / eye protection / face protection.
 P333+P313 If skin irritation or rash occurs: Get medical advice / attention.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice / attention.
 P501 Dispose of contents / container to in accordance with local / regional / national / international regulation.



2.3 Other hazards

Environmental hazards

Does not contain any PBT or vPvB substances.

Other hazards

Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

Range [%]	Substance
30 - 50	Epoxy resin (Reaction product of epichlorohydrin & bisphenol F, number average molecular weight ≤ 700)
	CAS: 28064-14-4
	GHS/CLP: Skin Irrit. 2: H315 - Eye Irrit. 2: H319 - Skin Sens. 1: H317 - Aquatic Chronic 2: H411
30 - 50	Diglycidyl bisphenol A resin (number average molecular weight ≤ 700)
	CAS: 25085-99-8, EINECS/ELINCS: Polymer
	GHS/CLP: Skin Irrit. 2: H315 - Eye Irrit. 2: H319 - Skin Sens. 1: H317 - Aquatic Chronic 2: H411
10 - 20	Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.
	CAS: 68609-97-2, EINECS/ELINCS: 271-846-8, EU-INDEX: 603-103-00-4
	GHS/CLP: Skin Irrit. 2: H315 - Skin Sens. 1: H317

Comment on component parts
Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take off contaminated clothing and wash before reuse.

Inhalation
Ensure supply of fresh air.
In the event of symptoms seek medical treatment.
Skin contact
In case of contact with skin wash off immediately with soap and water.
Consult a doctor if skin irritation persists.
Eye contact
Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
Ingestion
Seek medical advice immediately.
Do not induce vomiting.
Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions
Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media
Foam.
Carbon dioxide.
Water spray jet.
Dry powder.
Extinguishing media that must not be used

Full water jet.



5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Nitrogen oxides (NO_x).

Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Use personal protective equipment.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth).

Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

The normal safety precautions for handling chemicals must be observed.

Do not eat, drink, smoke or take drugs at work.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Take off contaminated clothing and wash before reuse.

Use barrier skin cream.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Keep in a cool place. Store in a dry place.

Keep container in a well-ventilated place.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

Ingredients with occupational exposure limits to be monitored (GB)

8.1 Control parameters

not applicable



8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. 0,7mm: Butyl rubber, >120 min (EN 374).
Skin protection	Light protective clothing of plastic material.
Other	Do not inhale vapours. Avoid contact with eyes and skin. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Respiratory protection	Not required under normal conditions.
Thermal hazards	none
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Color	yellow
Odor	characteristic
Odour threshold	not applicable
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	> 100
Flammability (solid, gas) [°C]	not applicable
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	1,11-1,12 (20 °C / 68,0 °F)
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Partition coefficient [n-octanol/water]	No information available.
Viscosity	not applicable
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.



10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

Reactions with strong acids and alkalies.

Reactions with amines.

Reactions with mercaptans

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

Oxidizing agent

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Range [%]	Substance
10 - 20	Oxirane, mono[(C12-14-alkyloxy)methyl] derivs., CAS: 68609-97-2
	LD50, dermal, Rabbit: ~ 3987 mg/kg (Lit.).
	LD50, oral, Rat: ~ 17100 mg/kg (Lit.).
	LD50, dermal, Rabbit: > 4500 mg/kg.
	LD50, oral, Rat: 19200 mg/kg.
30 - 50	Diglycidyl bisphenol A resin (number average molecular weight ≤ 700), CAS: 25085-99-8
	LD50, oral, Rat: > 2000 mg/kg (Lit.).

Serious eye damage/irritation

Toxicological data of complete product are not available.

Irritant

Calculation method

Skin corrosion/irritation

Toxicological data of complete product are not available.

Irritant

Calculation method

Respiratory or skin sensitisation

Toxicological data of complete product are not available.

Sensitizing.

Calculation method

Specific target organ toxicity — single exposure

Toxicological data of complete product are not available.

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure

Toxicological data of complete product are not available.

Based on the available information, the classification criteria are not fulfilled.

Mutagenicity

Toxicological data of complete product are not available.

Based on the available information, the classification criteria are not fulfilled.

Reproduction toxicity

Toxicological data of complete product are not available.

Based on the available information, the classification criteria are not fulfilled.

Carcinogenicity

Toxicological data of complete product are not available.

Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard

Based on the available information, the classification criteria are not fulfilled.

General remarks

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.



SECTION 12: Ecological information

12.1 Toxicity

Range [%]	Substance
10 - 20	Oxirane, mono[(C12-14-alkyloxy)methyl] derivs., CAS: 68609-97-2
	EC0, Daphnia magna: 10 mg/l (Lit.).
30 - 50	Diglycidyl bisphenol A resin (number average molecular weight ≤ 700), CAS: 25085-99-8
	LC50, (96h), Pimephales promelas: 3,1 mg/l.
	EC50, (48h), Daphnia magna: 1,4-1,7 mg/l.
	IC50, Bacteria: > 42,6 mg/l (18h).

12.2 Persistence and degradability

Behaviour in environment compartments No information available.

Behaviour in sewage plant No information available.

Biological degradability No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

The product contains organically bound halogen in accordance with the formulation.

The product was classified on the basis of the calculation procedure of the preparation directive.

Ecological data of complete product are not available.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Disposal in an incineration plant in accordance with the regulations of the local authorities.
Coordinate disposal with the authorities if necessary.

Waste no. (recommended)

080409*

Contaminated packaging

Packaging that cannot be cleaned should be disposed of as for product.
Untampered packaging may be taken for recycling.

Waste no. (recommended)

150110*
150102
150104



SECTION 14: Transport information

14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2 UN proper shipping name

Transport by land according to ADR/RID

UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A/F Epoxy resin) 9 III

- Classification Code

M6

- Label



- ADR LQ

5 I

- ADR 1.1.3.6 (8.6)

Transport category (tunnel restriction code) 3 (E)

Inland navigation (ADN)

UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A/F Epoxy resin) 9 III

- Classification Code

M6

- Label



Marine transport in accordance with IMDG

UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A/F Epoxy resin) 9 III MARINE POLLUTANT

- EMS

F-A, S-F

- Label



- IMDG LQ

5 I

Air transport in accordance with IATA UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A/F Epoxy resin) 9 III

- Label



14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC; (EU) 2015/830
TRANSPORT-REGULATIONS	DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2015).
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.
- VOC (1999/13/CE)	not determined

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H411 Toxic to aquatic life with long lasting effects.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H315 Causes skin irritation.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
ELINCS = European List of Notified Chemical Substances
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
TLV@TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Skin Irrit. 2: H315 Causes skin irritation. (Calculation method)
Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)
Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method)
Aquatic Chronic 2: H411 Toxic to aquatic life with long lasting effects. (Calculation method)



Modified position

SECTION 9 been added: No information available.

SECTION 9 deleted: not determined

SECTION 11 been added: Toxicological data of complete product are not available.

SECTION 11 been added: Based on the available information, the classification criteria are not fulfilled.

SECTION 11 been added: Toxicological data of complete product are not available.

SECTION 11 deleted: not determined

SECTION 11 been added: Calculation method

SECTION 12 been added: No information available.

SECTION 12 deleted: not determined

SECTION 12 been added: No information available.

SECTION 12 deleted: not determined

SECTION 14 been added: Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A/F Epoxy resin)

SECTION 14 deleted: Environmentally hazardous substance, liquid, n.o.s. (Epoxy resin)

SECTION 14 been added: Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A/F Epoxy resin)

SECTION 14 deleted: Environmentally hazardous substance, liquid, n.o.s. (Epoxy resin)

SECTION 14 been added: Environmentally hazardous substance, liquid, n.o.s. (Bisphenol A/F Epoxy resin)

SECTION 14 deleted: Environmentally hazardous substance, liquid, n.o.s. (Epoxy resin)

SECTION 15 been added: For this product a chemical safety assessment has not been carried out.

SECTION 15 deleted: not applicable

Copyright: Chemiebüro®

