

Safety Data Sheet



Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name • Buehler Dessicant / SDS# 9106295
Product Code • 20-1449

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s) • Drying Agent

1.3 Details of the supplier of the safety data sheet

Manufacturer • BUEHLER, a division of Illinois Tool Works Inc.
41 Waukegan Road
Lake Bluff, IL 60044
United States

Telephone (Technical) • 847-295-6500

1.4 Emergency telephone number

Manufacturer • 800-424-9300 - CHEMTREC

Section 2: Hazards Identification

EU/EEC

According to: Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]
According to: EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP • Carcinogenicity 1A - H350i
Specific Target Organ Toxicity Repeated Exposure 2 - H373

DSD/DPD • Toxic (T)
Harmful (Xn)
Carcinogenic Substances - Category 1
R45, R48/20

2.2 Label Elements

CLP

DANGER



Hazard statements • H350i - May cause cancer by inhalation.

H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

- Prevention** • P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P260 - Do not breathe dust.
P281 - Use personal protective equipment as required.
- Response** • P314 - Get medical advice/attention if you feel unwell.
P308+P313 - IF exposed or concerned: Get medical advice/attention.
- Storage/Disposal** • P405 - Store locked up.
P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

DSD/DPD



- Risk phrases** • R45 - May cause cancer.
R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation.
- Safety phrases** • S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
S53 - Avoid exposure - obtain special instructions before use.

2.3 Other Hazards

- CLP** • According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.
- DSD/DPD** • According to European Directive 1999/45/EC this material is considered dangerous.

UN GHS

According to: UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

2.1 Classification of the substance or mixture

- UN GHS** • Carcinogenicity 1A
Specific Target Organ Toxicity Repeated Exposure 1

2.2 Label elements

UN GHS

DANGER



- Hazard statements** • May cause cancer.
Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

- Prevention** • Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use personal protective equipment as required.
- Response** • Get medical advice/attention if you feel unwell.
IF exposed or concerned: Get medical advice/attention.
- Storage/Disposal** • Store locked up.
Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

UN GHS

- According to the Globally Harmonized System for Classification and Labeling (GHS) this product is considered hazardous.
-

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012

- Carcinogenicity 1A
Specific Target Organ Toxicity Repeated Exposure 1

2.2 Label elements

OSHA HCS 2012

DANGER



- Hazard statements**
- May cause cancer.
Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

- Prevention**
- Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves/protective clothing/eye protection/face protection.

- Response**
- Get medical advice/attention if you feel unwell.
IF exposed or concerned: Get medical advice/attention.

- Storage/Disposal**
- Store locked up.
Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

OSHA HCS 2012

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.
-

Canada

According to: WHMIS

2.1 Classification of the substance or mixture

WHMIS

- Other Toxic Effects - D2A

2.2 Label elements

WHMIS



- Other Toxic Effects - D2A

2.3 Other hazards

WHMIS

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).
-

Section 3 - Composition/Information on Ingredients

3.1 Substances

- Material does not meet the criteria of a substance.

3.2 Mixtures

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
Aluminum oxide silicate	CAS:12141-46-7 EINECS:235-253-8	90% TO 100%	NDA	UN GHS: Not Classified EU DSD/DPD: Not Classified EU CLP: Not Classified OSHA HCS 2012: Not Classified	NDA
Quartz	CAS:14808-60-7 EC Number:238-878-4	1% TO 5%	NDA	UN GHS: Carc. 1A; STOT RE 1 (Lungs, Inhl); EU DSD/DPD: Annex VI, Table 3.1: Carc. Cat. 1; T, R45; R48/23; EU CLP: Carc. 1A, H350i; STOT RE 1, H372 (Lungs, Inhl) OSHA HCS 2012: Carc. 1A; STOT RE 1 (Lungs, Inhl);	NDA

See Section 16 for full text of H-statements and R-phrases.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

- Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. If signs/symptoms continue, get medical attention.

Skin

- Wash skin with soap and water. If irritation develops and persists, get medical attention.

Eye

- In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion

- Do NOT induce vomiting. Give victim a glass of water or milk. Never give anything by mouth to an unconscious person. Obtain medical attention immediately if ingested.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media

- In case of fire use media as appropriate for surrounding fire.

Unsuitable Extinguishing Media

- No data available.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards • Does not burn.

Hazardous Combustion Products • No data available.

5.3 Advice for firefighters

- Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions • Ventilate enclosed areas. Material is slippery if spilled. Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact.

Emergency Procedures • As an immediate precautionary measure, isolate spill or leak area for at least 25 meters (75 feet) in all directions. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions. Keep unauthorized personnel away.

6.2 Environmental precautions

- Avoid run off to waterways and sewers.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures • Avoid generating dust.
SMALL DRY SPILLS: With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.
LARGE SPILLS: Cover powder spill with plastic sheet or tarp to minimize spreading.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling • Use only with adequate ventilation. Wear appropriate personal protective equipment, avoid direct contact. Do not breathe dust. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

7.2 Conditions for safe storage, including any incompatibilities

Storage • Keep container tightly closed. Store in a cool, dry, well-ventilated place.

7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines			
	Result	ACGIH	NIOSH
Quartz (14808-60-7)	TWAs	0.025 mg/m ³ TWA (respirable fraction)	0.05 mg/m ³ TWA (respirable dust)

8.2 Exposure controls

Engineering Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure that dust handling systems (such as exhaust ducts, dust collectors, vessels and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is not leakage from the equipment).

Personal Protective Equipment**Respiratory**

- For limited exposure use an N95 dust mask. For prolonged exposure use an air-purifying respirator with high efficiency particulate air (HEPA) filters. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

- Wear face shield and eye protection.

Skin/Body

- Wear appropriate gloves.

Environmental Exposure Controls

- Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

Section 9 - Physical and Chemical Properties**9.1 Information on Physical and Chemical Properties**

Material Description			
Physical Form	Solid	Appearance/Description	A gray to off-white solid with no odor.
Color	Gray to off-white.	Odor	None
Odor Threshold	Data lacking		
General Properties			
Boiling Point	Data lacking	Melting Point/Freezing Point	Data lacking
Decomposition Temperature	Data lacking	pH	Data lacking
Specific Gravity/Relative Density	= 2.2088 Water=1	Water Solubility	Insoluble
Viscosity	Data lacking	Explosive Properties	Data lacking
Oxidizing Properties:	Data lacking		
Volatility			
Vapor Pressure	Data lacking	Vapor Density	Data lacking
Evaporation Rate	Data lacking		
Flammability			
Flash Point	Non-flammable	UEL	Data lacking
LEL	Data lacking	Autoignition	Data lacking
Flammability (solid, gas)	Data lacking		
Environmental			
Octanol/Water Partition coefficient	Data lacking		

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

- Hazardous polymerization not indicated.

10.4 Conditions to avoid

- Flammable gas or vapor.

10.5 Incompatible materials

- None anticipated.

10.6 Hazardous decomposition products

- None anticipated.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

		Components
Quartz (1% TO 5%)	14808- 60-7	<p>Acute Toxicity: Inhalation-Human TCLo • 16 mppcf 8 Hour(s) 17.9 Year(s)-Intermittent; <i>Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Lungs, Thorax, or Respiration:Cough; Lungs, Thorax, or Respiration:Dyspnea;</i> Inhalation-Rat TCLo • 200 mg/kg; <i>Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Lungs, Thorax, or Respiration:Other changes; Nutritional and Gross Metabolic:Changes in Chemistry or Temperature:Fe;</i></p> <p>Multi-dose Toxicity: Inhalation-Hamster TCLo • 3 mg/m³ 6 Hour(s) 78 Week(s)-Intermittent; <i>Lungs, Thorax, or Respiration:Fibrosis (interstitial); Lungs, Thorax, or Respiration:Changes in lung weight;</i> Inhalation-Rat TCLo • 6.2 mg/m³ 6 Hour(s) 6 Week(s)-Intermittent; <i>Lungs, Thorax, or Respiration:Other changes; Blood:Changes in spleen; Immunological Including Allergic:Increase in cellular immune response;</i> Inhalation-Rat TCLo • 80 mg/m³ 26 Week(s)-Intermittent; <i>Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Blood:Changes in spleen; Immunological Including Allergic:Decrease in cellular immune response;</i></p> <p>Mutagen: Micronucleus test • Unreported Route-Hamster • Lung (Somatic cell) • 160 µg/cm³; DNA damage • Unreported Route-Human • Other Cell Type • 120 mg/L; Micronucleus test • Unreported Route-Human • Lung (Somatic cell) • 40 µg/cm³;</p> <p>Tumorigen / Carcinogen: Inhalation-Rat TCLo • 50 mg/m³ 6 Hour(s) 71 Week(s)-Intermittent; <i>Tumorigenic:Carcinogenic by RTECS criteria; Liver:Tumors</i></p>

GHS Properties	Classification
Respiratory sensitization	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking UN GHS • Data lacking
Serious eye damage/Irritation	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking UN GHS • Data lacking
Acute toxicity	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking UN GHS • Data lacking
Aspiration Hazard	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking

	UN GHS • Data lacking
Carcinogenicity	EU/CLP • Carcinogenicity 1A OSHA HCS 2012 • Carcinogenicity 1A UN GHS • Carcinogenicity 1A
Skin corrosion/Irritation	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking UN GHS • Data lacking
Skin sensitization	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking UN GHS • Data lacking
STOT-RE	EU/CLP • Specific Target Organ Toxicity Repeated Exposure 2 OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 1 UN GHS • Specific Target Organ Toxicity Repeated Exposure 1
STOT-SE	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking UN GHS • Data lacking
Toxicity for Reproduction	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking UN GHS • Data lacking
Germ Cell Mutagenicity	EU/CLP • Data lacking OSHA HCS 2012 • Data lacking UN GHS • Data lacking

Potential Health Effects

Inhalation

Acute (Immediate)

- Exposure to dust may cause irritation. Processes such as cutting, grinding, crushing, or impact may result in generation of excessive amounts of airborne dusts in the workplace. Nuisance dust may affect the lungs but reactions are typically reversible.

Chronic (Delayed)

- Repeated and prolonged exposure to dust may cause lung effects including pneumoconiosis.

Skin

Acute (Immediate)

- Mechanical irritant. Prolonged contact may cause skin abrasion.

Chronic (Delayed)

- No data available.

Eye

Acute (Immediate)

- Mechanical irritant. Contact may cause tearing and redness. Excessive concentrations of nuisance dust in the workplace may reduce visibility and may cause unpleasant deposits in eyes.

Chronic (Delayed)

- No data available.

Ingestion

Acute (Immediate)

- May cause nausea and vomiting. Excessive concentrations of nuisance dust in the workplace may cause mechanical irritation to mucous membranes.

Chronic (Delayed)

- No data available.

Carcinogenic Effects

- Repeated and prolonged exposure may cause cancer.

Carcinogenic Effects			
	CAS	IARC	NTP
Quartz	14808-60-7	Group 1-Carcinogenic	Known Human Carcinogen

Key to abbreviations

TC = Toxic Concentration

Section 12 - Ecological Information

12.1 Toxicity

- Material data lacking.

12.2 Persistence and degradability

- Material data lacking.

12.3 Bioaccumulative potential

- Material data lacking.

12.4 Mobility in Soil

- Material data lacking.

12.5 Results of PBT and vPvB assessment

- No PBT and vPvB assessment has been conducted.

12.6 Other adverse effects

- No studies have been found.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA
TDG	NDA	Not Regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not Regulated	NDA	NDA	NDA

14.6 Special precautions for user

- None specified.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- Data lacking.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Chronic

Inventory						
Component	CAS	Canada DSL	Canada NDSL	EU EINECS	EU ELNICS	TSCA
Aluminum oxide silicate	12141-46-7	Yes	No	Yes	No	Yes
Quartz	14808-60-7	Yes	No	Yes	No	Yes

Canada

Labor

Canada - WHMIS - Classifications of Substances

• Aluminum oxide silicate	12141-46-7	Uncontrolled product according to WHMIS classification criteria
• Quartz	14808-60-7	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)

Canada - WHMIS - Ingredient Disclosure List

• Aluminum oxide silicate	12141-46-7	Not Listed
• Quartz	14808-60-7	1 %

Environment

Canada - CEPA - Priority Substances List

• Aluminum oxide silicate	12141-46-7	Not Listed
• Quartz	14808-60-7	Not Listed

United States

Labor

U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

• Aluminum oxide silicate	12141-46-7	Not Listed
• Quartz	14808-60-7	Not Listed

U.S. - OSHA - Specifically Regulated Chemicals

• Aluminum oxide silicate	12141-46-7	Not Listed
• Quartz	14808-60-7	Not Listed

Environment

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

• Aluminum oxide silicate	12141-46-7	Not Listed
• Quartz	14808-60-7	Not Listed

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

• Aluminum oxide silicate	12141-46-7	Not Listed
• Quartz	14808-60-7	Not Listed

U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities

• Aluminum oxide silicate	12141-46-7	Not Listed
• Quartz	14808-60-7	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

• Aluminum oxide silicate	12141-46-7	Not Listed
• Quartz	14808-60-7	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

• Aluminum oxide silicate	12141-46-7	Not Listed
• Quartz	14808-60-7	Not Listed

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

• Aluminum oxide silicate	12141-46-7	Not Listed
• Quartz	14808-60-7	Not Listed

U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing

• Aluminum oxide silicate	12141-46-7	Not Listed
• Quartz	14808-60-7	Not Listed

United States - California**Environment****U.S. - California - Proposition 65 - Carcinogens List**

• Aluminum oxide silicate	12141-46-7	Not Listed
• Quartz	14808-60-7	carcinogen, initial date 10/1/88 (airborne particles of respirable size)

U.S. - California - Proposition 65 - Developmental Toxicity

• Aluminum oxide silicate	12141-46-7	Not Listed
• Quartz	14808-60-7	Not Listed

U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)

• Aluminum oxide silicate	12141-46-7	Not Listed
• Quartz	14808-60-7	Not Listed

U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)

• Aluminum oxide silicate	12141-46-7	Not Listed
• Quartz	14808-60-7	Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Female

• Aluminum oxide silicate	12141-46-7	Not Listed
• Quartz	14808-60-7	Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Male

• Aluminum oxide silicate	12141-46-7	Not Listed
• Quartz	14808-60-7	Not Listed

15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

15.3 Other Information

- WARNING: This product contains a chemical known to the State of California to cause cancer.

Section 16 - Other Information

Relevant Phrases (code & full text)

- H372 - Causes damage to organs through prolonged or repeated exposure.
R48/23 - Toxic: danger of serious damage to health by prolonged exposure through inhalation.

Revision Date

- 23/October/2015

Preparation Date

- 03/April/2012

Disclaimer/Statement of Liability

- To the best of our knowledge, the information contained in this SDS is accurate or is obtained from sources believed to be accurate. However, no liability, expressed or implied, is assumed for the accuracy or completeness of the information contained herein. Buyer assumes liability in its use of the material.

Key to abbreviations

NDA = No data available
