

Issuing Date 04-Jan-2017

Revision Date 08-Nov-2018

Revision Number 5

Japan / English

1. PRODUCT AND COMPANY IDENTIFICATION**Product identifier****Product Name** EpoKwick FC Hardener**Product Code(s)** 20-3453-032**(M)SDS Number** 1364499_J**Other means of identification****Synonyms** No information available**Registration Number(s)** No information available**Recommended use of the chemical and restrictions on use****Recommended Use** Laboratory Use Only**Uses advised against** No information available**Details of the supplier of the safety data sheet****Manufacturer** Buehler**Manufacturer Address** Loop-X 6th Floor 3-9-15
kaigan Minato-ku, Tokoyo 108-0022
www.buehler.com/Japan**Phone number** +81 (0)3 5439 5077**E-mail Address** info.japan@buehler.com**Legal Entity** ITW Japan KK**Legal Entity Address** 1-4-4, Kitasuna, Koto-ku, Tokyo**Emergency telephone number**

Global Access Code: 334545

Asia Pacific: +1 760 476 3960

Middle East/Africa: +1 760 476 3959

Japan: +81 36 8908677

Americas: +1 760 476 3962

Europe: +1 760 476 3961

2. HAZARDS IDENTIFICATION**GHS Classification**

| | |
|-------------------------|------------|
| Corrosive to metals | Category 1 |
| Acute toxicity - Oral | Category 4 |
| Acute toxicity - Dermal | Category 4 |

| | |
|-----------------------------------|---------------------------|
| Skin corrosion/irritation | Category 1 Sub-category A |
| Serious eye damage/eye irritation | Category 1 |
| Respiratory sensitization | Category 1 |
| Skin sensitization | Category 1 |
| Reproductive toxicity | Category 1B |
| Acute aquatic toxicity | Category 3 |

Label elements

Signal word

Danger

Hazard statements

H290 - May be corrosive to metals
 H302 - Harmful if swallowed
 H312 - Harmful in contact with skin
 H314 - Causes severe skin burns and eye damage
 H317 - May cause an allergic skin reaction
 H360 - May damage fertility or the unborn child
 H402 - Harmful to aquatic life

Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood
 Wear protective gloves/protective clothing/eye protection/face protection
 Wash hands thoroughly after handling
 Do not eat, drink or smoke when using this product
 Do not breathe dust/fume/gas/mist/vapors/spray
 In case of inadequate ventilation wear respiratory protection
 Avoid release to the environment

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label)
 Immediately call a POISON CENTER or doctor
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower
 Call a POISON CENTER or doctor if you feel unwell
 Wash contaminated clothing before reuse
 If skin irritation or rash occurs: Get medical advice/attention
 IF INHALED: Remove person to fresh air and keep comfortable for breathing
 Immediately call a POISON CENTER or doctor
 IF SWALLOWED: Rinse mouth. DO NOT induce vomiting
 Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up
 Store in corrosion resistant container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

| Chemical name | Weight-% | ENCS - Japan Existing and New Chemical Substances | ISHL No. | CAS-No |
|---|----------|---|----------|------------|
| 1,2-Ethanediamine, N-(2-aminoethyl)-, polymer with oxirane | > 60% | (7)-1154 | Present | 28063-82-3 |
| Diethylene triamine | < 30% | (2)-159 | Present | 111-40-0 |
| Poly[oxy(methyl-1,2-ethanediy)], alpha.-hydro.-omega.-(2-aminomethylethoxy)-, ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1) | 5 - 15% | (7)-328 | Present | 39423-51-3 |

Pollutant Release and Transfer Registry (PRTR)

Not applicable.

Industrial Safety and Health Law

ISHL Notifiable Substances - information (safety data sheet) to be supplied; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57-2 and ISHL Ordinance Article 34-2-4)

| Chemical name | ISHL Notifiable Substances | Threshold Values (%) |
|---------------------------------|----------------------------|----------------------|
| Diethylene triamine 111-40-0 | ISHL Notifiable Substances | 0.1 |

Poisonous and Deleterious Substances Control Law

| Chemical name | Poisonous and Deleterious Substances | Threshold Values (%) |
|---------------------------------|--------------------------------------|----------------------|
| Diethylene triamine 111-40-0 | Deleterious | > 0 |

4. FIRST AID MEASURES

First aid measures**General advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Inhalation

Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention. May cause allergic respiratory reaction. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated

| | |
|---|---|
| | clothes and shoes. Get immediate medical advice/attention. May cause an allergic skin reaction. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get immediate medical advice/attention. May produce an allergic reaction. |
| Symptoms | Burning sensation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives. |
| Self-protection of the first aider | Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information. |
| Note to physicians | Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause sensitization in susceptible persons. Treat symptomatically. |

5. FIRE-FIGHTING MEASURES

| | |
|---|--|
| Flammable Properties | Combustible material: may burn but does not ignite readily. Contact with metals may evolve flammable hydrogen gas. Containers may explode when heated. |
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | No information available. |
| Specific hazards arising from the chemical | The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact. May cause sensitization by skin contact. |
| Hazardous Combustion Products | Carbon oxides. |
| Special Extinguishing Media | Cool drums with water spray. |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

6. ACCIDENTAL RELEASE MEASURES

| | |
|----------------------------------|---|
| Personal precautions | Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. |
| Other Information | Refer to protective measures listed in Sections 7 and 8. |
| For emergency responders | Use personal protection recommended in Section 8. |
| Environmental precautions | Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains. |
| Methods for containment | Prevent further leakage or spillage if safe to do so. |
| Methods for cleaning up | Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. |

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Provide extract ventilation to points where emissions occur. Remove contaminated clothing and shoes.

Storage

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

Incompatible materials Oxidizing agent. Acids. Bases.

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure guidelines

| Chemical name | Japan | ISHL Working Environmental Evaluation Standards - Administrative Control Levels | ACGIH TLV |
|---------------------------------|-------|---|------------------|
| Diethylene triamine 111-40-0 | - | - | TWA: 1 ppm S* |

Biological occupational exposure limits Not applicable

Engineering controls Showers
Eyewash stations
Ventilation systems.

Personal protective equipment

Eye/face protection Face protection shield.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Hand protection Wear suitable gloves. Impervious gloves.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

| | |
|-----------------------|--------------------------|
| Physical state | Liquid |
| Appearance | Clear |
| Odor | Amine |
| Color | No information available |
| Odor Threshold | No data available |

| <u>Property</u> | <u>Values</u> | <u>Remarks</u> | <u>Method</u> |
|---|--------------------------|----------------|---------------|
| pH | Alkaline | | |
| Melting / freezing point | No data available | None known | |
| Boiling point / boiling range | > 200°C °C | | |
| Flash Point | > 100°C C | | |
| Evaporation Rate | No data available | None known | |
| Flammability (solid, gas) | No data available | None known | |
| Flammability Limit in Air | | None known | |
| Upper flammability limit | No data available | | |
| Lower flammability limit | No data available | | |
| Vapor pressure | No data available | None known | |
| Vapor density | No data available | None known | |
| Relative density | 1.03 g/cm ³ | | |
| Water Solubility | No data available | | |
| Solubility(ies) | No data available | None known | |
| Partition coefficient: n-octanol/water | No data available | | |
| Autoignition temperature | No data available | None known | |
| Decomposition temperature | No data available | None known | |
| Kinematic viscosity | No data available | None known | |
| Viscosity | No data available | None known | |
| Explosive properties | No information available | | |
| Oxidizing properties | No information available | | |

Other Information

| | |
|-----------------------------------|--------------------------|
| Softening Point | No information available |
| Molecular Weight | No information available |
| VOC Content (%) | 0 % |
| Liquid Density | No information available |
| Bulk Density | No information available |
| Particle Size | No information available |
| Particle Size Distribution | No information available |

10. STABILITY AND REACTIVITY

| | |
|---|---|
| Reactivity | No information available. |
| Stability | Stable under normal conditions. |
| Explosion Data | |
| Sensitivity to Mechanical Impact | None |
| Sensitivity to Static Discharge | None |
| Possibility of hazardous reactions | None under normal processing. |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Conditions to avoid | Exposure to air or moisture over prolonged periods. |
| Incompatible materials | Oxidizing agent. Acids. Bases. |

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information

| | |
|---------------------|--|
| Inhalation | Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause sensitization in susceptible persons. |
| Eye contact | Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes. |
| Skin contact | Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause sensitization by skin contact. May be absorbed through the skin in harmful amounts. Harmful in contact with skin. May be harmful in contact with skin. |
| Ingestion | Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. May cause additional affects as listed under "Inhalation". |
| Symptoms | Redness. Burning. May cause blindness. Coughing and/ or wheezing. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Itching. Rashes. Hives. |

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

| | |
|-------------------------------|----------------|
| ATEmix (oral) | 1,080.00 mg/kg |
| ATEmix (dermal) | 1,100.00 mg/kg |
| ATEmix (inhalation-dust/mist) | 70.00 mg/L |

Unknown acute toxicity

- 70 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 70 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 70 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Numerical measures of toxicity - Component Information

| Chemical name | LD50 Oral | LD50 Dermal | Inhalation LC50 |
|---------------------------------|----------------------|------------------------|-----------------------|
| Diethylene triamine 111-40-0 | = 1080 mg/kg (Rat) | = 672 mg/kg (Rabbit) | = 70 mg/L (Rat) 4 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|--|---|
| Skin corrosion/irritation | Classification based on data available for ingredients. Causes burns. |
| Serious eye damage/eye irritation | Classification based on data available for ingredients. Risk of serious damage to eyes. Causes burns. |
| Respiratory or skin sensitization | May cause sensitization by inhalation. May cause sensitization by skin contact. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | No information available. |
| Reproductive toxicity | Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Target Organ Effects | Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). |
| Aspiration hazard | No information available. |

12. ECOLOGICAL INFORMATION

Ecotoxicity

Percentage for unknown hazards 0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Ecotoxicity Harmful to aquatic life. .

| Chemical name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|---------------------|---|--|---|---|
| Diethylene triamine | 72h EC50: = 1164 mg/L (Pseudokirchneriella subcapitata) 96h EC50: = 345.6 mg/L (Pseudokirchneriella subcapitata) 96h EC50: = 592 mg/L (Desmodesmus subspicatus) | 96h LC50: = 430 mg/L (Leuciscus idus) 96h LC50: = 1014 mg/L (Poecilia reticulata) 96h LC50: = 248 mg/L (Poecilia reticulata) | EC50 = 2000 mg/L 1 h EC50 = 96 mg/L 17 h | 24h EC50: = 37 mg/L 48h EC50: = 16 mg/L |

Persistence and Degradability No information available.

Bioaccumulation

Component Information

| Chemical name | Log Pow |
|---------------------|---------|
| Diethylene triamine | -1.3 |

Mobility in soil No information available.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

| | |
|--|---|
| Waste from residues/unused products | Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. |
| Contaminated packaging | Do not reuse empty containers. |

14. TRANSPORT INFORMATION

IMDG

| | |
|-------------------------------|---|
| UN Number | UN2735 |
| Proper Shipping Name | POLYAMINES, LIQUID, CORROSIVE, N.O.S. |
| Hazard Class (select) | 8 |
| Packing Group (select) | III |
| EmS-No. | F-A, S-B |
| Description | UN2735, POLYAMINES, LIQUID, CORROSIVE, N.O.S. (DIETHYLENE TRIAMINE), 8, III |

ADR

| | |
|--------------------------------|--|
| UN-No. | UN2735 |
| Proper Shipping Name | POLYAMINES, LIQUID, CORROSIVE, N.O.S. |
| Description | UN2735, POLYAMINES, LIQUID, CORROSIVE, N.O.S. (DIETHYLENE TRIAMINE), 8, III, (E) |
| Hazard Class | 8 |
| Packing Group | III |
| Special Provisions | 274 |
| Classification code | C7 |
| Tunnel restriction code | (E) |

IATA

| | |
|-------------------------------|---|
| UN Number | UN2735 |
| Proper Shipping Name | AMINES, LIQUID, CORROSIVE, N.O.S. |
| Hazard Class (select) | 8 |
| Packing Group (select) | III |
| ERG Code | 8L |
| Description | UN2735, AMINES, LIQUID, CORROSIVE, N.O.S. (DIETHYLENE TRIAMINE), 8, III |

Japan

| | |
|-----------------------------|---------------------------------------|
| UN Number | UN2735 |
| Proper Shipping Name | POLYAMINES, LIQUID, CORROSIVE, N.O.S. |
| Hazard Class | 8 |
| Packing group | III |
| Special Provisions | 223, 274 |

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations

Japan

Pollutant Release and Transfer Registry (PRTR)

Not applicable

Industrial Safety and Health Law

Harmful Substances Whose Names Are to be Indicated on the Label

Harmful Substances - names to be indicated on the label; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57 and ISHL Ordinance Article 33)

ISHL Notifiable Substances

ISHL Notifiable Substances - information (safety data sheet) to be supplied; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57-2 and ISHL Ordinance Article 34-2-4)

Poisonous and Deleterious Substances Control Law

Deleterious substances - Poisonous and Deleterious Substance Control Law table 2 and Cabinet Order article 2

Fire Service Law:

Verify that requirements related to using, handling, and storing substances subject to prohibition, authorization or restriction are met

Flammable liquids, group 4, 3rd class petroleums, water-soluble, hazard rank III, 4000 liters

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (CSCL)

Not applicable

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

| | |
|----------------------|-----------|
| TSCA | Complies. |
| DSL/NDSL | Complies. |
| EINECS/ELINCS | Complies. |
| ENCS | Complies. |
| KECL | Complies. |
| PICCS | Complies. |
| AICS | Complies. |

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

16. OTHER INFORMATION

| | |
|----------------------|--|
| Prepared By | Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501 |
| Issuing Date | 04-Jan-2017 |
| Revision Date | 08-Nov-2018 |
| Revision Note | No information available |

Key or legend to abbreviations and acronyms used in the safety data sheet**Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

| | | | |
|---------|-----------------------------|------|----------------------------------|
| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value | - | Skin designation |
| C | Carcinogen | | |

Disclaimer

This SDS complies with the requirements of JIS Z 7250:2010 and JIS Z 7252:2009 (Japan). The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

End of Safety Data Sheet