

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 04-Aug-2016 Revision Date 12-Jan-2021 Revision Number 5

EGHS / English

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Aluminum Oxide Powder

Product Code(s) 40-6425-400-080, 40-6430-600-080, 40-6603-030-080, 40-6605-050-080,

40-6609-095-080, 40-6612-125-080

(M)SDS Number 1339775_E

Chemical name

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory use.

Uses advised against No information available.

1.3. Details of the supplier of the safety data sheet

Manufacturer ITW Test & Measurement GmbH

Manufacturer Address Boschstraße 10

73734 Esslingen am Neckar / GERMANY

www.buehler-met.de www.buehler.fr www.buehler.co.uk

Phone number +49 (0) 711 4904690-0

E-mail address lab.eu@buehler.com

1.4. Emergency telephone number

Global Access Code: 334545 Americas: +1 760 476 3962

Americas: +1 760 476 3962 Europe: +1 760 476 3961

Middle East/Africa: +1 760 476 3959 Asia Pacific: +1 760 476 3960

UK: +44 8 08 189 0979

SECTION 2: Hazards identification



2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EUH210 - Safety data sheet available on request

2.3. Other hazards

No information available

Section 3: Composition/information on ingredients

3.1 Substances

Chemical name	EC No	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Aluminum oxide	215-691-6	1344-28-1	90 - 100%	No data available	No data available
Titanium dioxide	236-675-5	13463-67-7	0 - 10%	No data available	No data available
Iron oxide	215-168-2	1309-37-1	0 - 10%	No data available	No data available
Magnesium oxide	-	1309-48-4	< 0.5%	No data available	No data available
Calcium oxide	-	1305-78-8	< 0.6%	No data available	No data available

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove to fresh air.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions

see a physician.

Eye contactRinse thoroughly with plenty of water for at least 15 minutes, lifting lower and

upper eyelids. Consult a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water.

4.2. Most important symptoms and effects, both acute and delayed



Page 2/11

Revision Date 12-Jan-2021

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

6.2. Environmental precautions

Environmental precautions Should not be released into the environment. See Section 12 for additional

Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Section 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.



Page 3/11

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Identified Uses

Risk Management Methods

The information required is contained in this Material Safety Data Sheet.

(RMM)

Section 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom	France	Spain	Germany
Aluminum oxide 1344-28-1	-	STEL: 30 mg/m ³ STEL: 12 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	-
Titanium dioxide 13463-67-7	-	STEL: 30 mg/m ³ STEL: 12 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	-
Iron oxide 1309-37-1	-	STEL: 10 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³ TWA: 5 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	-
Magnesium oxide 1309-48-4	-	STEL: 30 mg/m ³ STEL: 12 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	-
Calcium oxide 1305-78-8	-	STEL: 6 mg/m ³ TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 1 mg/m ³
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Aluminum oxide 1344-28-1	-	TWA: 10 mg/m ³	TWA: 0.05 mg/m ³	-	TWA: 5 mg/m ³ TWA: 2 mg/m ³
Titanium dioxide 13463-67-7	-	TWA: 10 mg/m ³	-	-	TWA: 6 mg/m ³
Iron oxide 1309-37-1	-	TWA: 5 mg/m ³	-	TWA: 5 mg/m ³	TWA: 3.5 mg/m ³
Magnesium oxide 1309-48-4	-	TWA: 10 mg/m ³	-	-	TWA: 6 mg/m ³
Calcium oxide 1305-78-8	-	TWA: 2 mg/m ³	-	TWA: 2 mg/m ³	TWA: 2 mg/m ³
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Aluminum oxide 1344-28-1	STEL 10 mg/m ³ TWA: 5 mg/m ³	STEL: 24 mg/m ³ TWA: 3 mg/m ³	TWA: 2.5 mg/m ³ TWA: 1.2 mg/m ³	TWA: 10 mg/m ³ STEL: 20 mg/m ³	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³



Page 4/11

Revision Date 12-Jan-2021

					STEL: 12 mg/m ³
Titanium dioxide	STEL 10 mg/m ³	TWA: 3 mg/m ³	STEL: 30 mg/m ³	TWA: 5 mg/m ³	TWA: 10 mg/m ³
13463-67-7	TWA: 5 mg/m ³		TWA: 10.0 mg/m ³	STEL: 10 mg/m ³	TWA: 4 mg/m ³
			TWA: 10 mg/m ³	_	STEL: 30 mg/m ³
					STEL: 12 mg/m ³
Iron oxide	STEL 10 mg/m ³	TWA: 3 mg/m ³	STEL: 10 mg/m ³	TWA: 3 mg/m ³	TWA: 5 mg/m ³
1309-37-1	TWA: 5 mg/m ³		TWA: 5 mg/m ³	STEL: 6 mg/m ³	TWA: 10 mg/m ³
	TWA: 10 mg/m ³				TWA: 4 mg/m ³
					STEL: 30 mg/m ³
					STEL: 10 mg/m ³
					STEL: 12 mg/m ³
Magnesium oxide	STEL 20 mg/m ³	TWA: 3 mg/m ³	TWA: 5 mg/m ³	TWA: 10 mg/m ³	TWA: 4 mg/m ³
1309-48-4	STEL 10 mg/m ³		TWA: 10 mg/m ³	STEL: 20 mg/m ³	TWA: 5 mg/m ³
	TWA: 5 mg/m ³				TWA: 10 mg/m ³
	TWA: 10 mg/m ³				STEL: 10 mg/m ³
					STEL: 12 mg/m ³
					STEL: 30 mg/m ³
Calcium oxide	STEL 4 mg/m ³	STEL: 2 mg/m ³	STEL: 6 mg/m ³	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³
1305-78-8	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³		STEL: 6 mg/m ³

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

8.2. Exposure controls

Personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear suitable protective clothing.

Environmental exposure

controls

No information available.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Powder(s)
Appearance Gray
Odor Odorless

ColorNo information availableOdor ThresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks Method</u>

No data available pН None known Melting / freezing point >2000°C (>3632°F) None known Boiling point / boiling range >2900°C (>5252°F) None known **Flash Point** No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability limit

No data available

Lower flammability limit

No data available



1339775 - Aluminum Oxide Powder

Revision Date 12-Jan-2021

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative density3.9 g/cm³None knownWater SolvibilityInstallable

Water Solubility Insoluble

Solubility(ies) No data available None known Partition coefficient: n-octanol/water No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known No data available None known **Viscosity**

9.2. Other information

Softening Point No information available Molecular Weight No information available

VOC Content (%) 0%

Liquid DensityNo information availableBulk DensityNo information availableParticle SizeNo information availableParticle Size DistributionNo information available

Section 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous

Reactions

None under normal processing.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure



Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 10,833.00 mg/kg

Unknown acute toxicity

99.5 % of the mixture consists of ingredient(s) of unknown toxicity

93.5 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

99.5 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

99.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

99.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

99.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Aluminum oxide	> 5000 mg/kg (Rat)	-	-
Titanium dioxide	> 10000 mg/kg (Rat)	-	-
Iron oxide	> 10000 mg/kg (Rat)	-	-
Magnesium oxide	= 3990 mg/kg (Rat)=	-	-
	3870 mg/kg (Rat)		
Calcium oxide	= 500 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye

irritation

No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive Toxicity No information available.



STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna
			Microorganisms	(Water Flea)
Iron oxide	=	96h LC50: = 100000	=	=
		mg/L (Danio rerio)		
Calcium oxide	=	96h LC50: = 1070	=	=
		mg/L (Cyprinus carpio)		

12.2. Persistence and degradability

Persistence and Degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Aluminum oxide	The substance is not PBT / vPvB PBT assessment does
	not apply
Titanium dioxide	The substance is not PBT / vPvB PBT assessment does
	not apply
Iron oxide	The substance is not PBT / vPvB PBT assessment does
	not apply
Calcium oxide	The substance is not PBT / vPvB PBT assessment does
	not apply

12.6. Other adverse effects

Other adverse effects No information available.

Section 13: Disposal considerations



13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance

with environmental legislation.

Contaminated packaging No information available.

Section 14: Transport information

IMDG/IMO	Not regulated
14.1 UN-No.	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Marine Pollutant	Not applicable
44.0.00 !-! Bussile!	NI

14.6 Special Provisions None

14.7 Transport in bulk No information available

according to Annex II of MARPOL 73/78 and the IBC Code

Code

RID	Not regulated
14.1 UN-No.	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

14.6 Special Provisions None

ADR	Not regulated
14.1 UN-No.	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazard	Not applicable
14 C Chaoial Draviaiona	None

14.6 Special Provisions None

IATANot regulated14.1 UN-No.Not regulated14.2 Proper Shipping NameNON REGULATED14.3 Hazard ClassNot regulated14.4 Packing GroupNot regulated14.5 Environmental hazardNot applicable

14.6 Special Provisions None

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations



France

Occupational Illnesses (R-463-3, France)

Chemical name		French RG number	Title
Iron oxide	R	G 44,RG 44bis,RG 94 RG 44,RG 94	-
1309-37-1			

Water hazard class (WGK) Not dangerous

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV). This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Persistent Organic Pollutants

Not applicable.

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable.

International Inventories

TSCA Contact supplier for inventory compliance status. DSL/NDSL Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS IECSC** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. KECL Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status. **AICS**

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

No information available.

Section 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet



Legend

SVHC: Substances of Very High Concern for Authorization:

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value - Skin designation

Key literature references and sources for data

www.ChemADVISOR.com/

Issuing Date 01-Mar-2017

Revision Date 12-Jan-2021

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

End of Safety Data Sheet



