

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 10-Feb-2021 **Revision Number** 6 Issuing Date 15-Jan-2021

EGHS / English

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name EpoThin 2 Hardener

20-3442-016, 20-3442-064 **Product Code(s)**

(M)SDS Number 1501014 E

Chemical name

1.2. Relevant identified uses of the substance or mixture and uses advised against

Laboratory use. **Recommended Use**

Uses advised against No information available.

1.3. Details of the supplier of the safety data sheet

Manufacturer ITW Test & Measurement GmbH

Manufacturer Address Boschstraße 10

73734 Esslingen am Neckar / GERMANY

www.buehler-met.de www.buehler.fr www.buehler.co.uk

Phone number +49 (0) 711 4904690-0

lab.eu@buehler.com E-mail address

1.4. Emergency telephone number

Global Access Code: 334545 Americas: +1 760 476 3962

Europe: +1 760 476 3961 Asia Pacific: +1 760 476 3960

Middle East/Africa: +1 760 476 3959

UK: +44 8 08 189 0979

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture



Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 1 Sub-category A -
	(H314)
Skin sensitization	Category 1 - (H317)
Reproductive Toxicity	Category 2 - (H361)
Chronic aquatic toxicity	Category 2 - (H411)

2.2. Label elements



Signal word

Danger

Hazard Statements

- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H361 Suspected of damaging fertility or the unborn child if swallowed
- H411 Toxic to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P264 Wash hands and face thoroughly after handling
- P272 Contaminated work clothing should not be allowed out of the workplace
- P273 Avoid release to the environment
- P280 Wear protective gloves and eye/face protection
- P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
- P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P308 + P313 IF exposed or concerned: Get medical advice/attention
- P310 Immediately call a POISON CENTER or doctor
- P321 Specific treatment (see supplemental first aid instructions on this label)
- P333 + P313 If skin irritation or rash occurs: Get medical advice/attention
- P363 Wash contaminated clothing before reuse
- P391 Collect spillage
- P405 Store locked up
- P501 Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

No information available

Section 3: Composition/information on ingredients



3.1 Substances

Not applicable.

3.2 Mixtures

Chemical name	EC No	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Propylene glycol diamine, 2-amino-, diether with Propylene	-	9046-10-0	20 - 50%	Skin Corr. 1C (H314) Eye Dam. 1 (H138) Aquatic Chronic 3 (H412)	No data available
p-tert-Butyl phenol	-	98-54-4	10 - 20%	Skin Irrit. 2 (H315) Repr. 2 (H361f) Eye Dam. 1 (H318)	No data available
m-Xylenealpha., .alpha.`-diamine	-	1477-55-0	10 - 20%	No data available	No data available
Triphenyl phosphite	-	101-02-0	0 - 20%	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	No data available
Triethylene tetramine	-	112-24-3	0 - 1%	Acute Tox. 4 (H312) Skin Corr. 1B (H314) Skin Sens. 1 (H317)	No data available
Triethanolamine	203-049-8	102-71-6	0 - 20%	No data available	No data available
Piperazine	203-808-3	110-85-0	0 - 1%	Skin Corr. 1B (H314)2 (H361fd)Sens. 1 (H334)Sens. 1 (H317)	No data available
1-(2-Aminoethyl) piperazine	-	140-31-8	0 - 1%	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Aquatic Chronic 3 (H412)	No data available

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical

attention is required.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get

medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention. May cause allergic

respiratory reaction. Avoid direct contact with skin. Use barrier to give



mouth-to-mouth resuscitation.

Skin contact Wash off immediately with soap and plenty of water while removing all

contaminated clothes and shoes. Get immediate medical advice/attention. May

cause an allergic skin reaction.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get immediate

medical advice/attention.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything

by mouth to an unconscious person. Do NOT induce vomiting. Get immediate

medical advice/attention. May produce an allergic reaction.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Ensure that medical personnel are aware

of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.

See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. May cause allergy or asthma symptoms or breathing difficulties

if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause sensitization in susceptible persons.

Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media CO2, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact. May cause sensitization by skin contact.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.



Page 4/16

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use

personal protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of

spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering

drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Dike far ahead of liquid spill for later disposal. Prevent further leakage or spillage if

safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly

labeled containers.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Section 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid

contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Provide extract ventilation to points where emissions occur. Remove contaminated clothing and

shoes.

General Hygiene Considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when

using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

Contaminated work clothing should not be allowed out of the workplace. Wash

hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store locked up. Keep out of the reach of children. Store away from other materials. Keep at a temperature not exceeding 50°C / 122° F °C.



Page 5/16

7.3. Specific end use(s)

Identified Uses Risk Management Methods (RMM)

The information required is contained in this Material Safety Data Sheet.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom	France	Spain	Germany
p-tert-Butyl phenol	-	-	-	-	TWA: 0.08 ppm
98-54-4					TWA: 0.5 mg/m ³
					S*
m-Xylenealpha.,	-	-	STEL: 0.1 mg/m ³	-	-
.alpha.`-diamine					
1477-55-0					
Triethanolamine	-	-	-	TWA: 5 mg/m ³	-
102-71-6					
Piperazine	TWA 0.1 mg/m ³	STEL: 0.3 mg/m ³	TWA: 0.1 mg/m ³	STEL: 0.3 mg/m ³	TWA: 0.1 mg/m ³
110-85-0	STEL 0.3 mg/m ³	TWA: 0.1 mg/m ³	STEL: 0.3 mg/m ³	TWA: 0.1 mg/m ³	
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
p-tert-Butyl phenol	-	-	-	-	TWA: 0.08 ppm
98-54-4					TWA: 0.5 mg/m ³
					H*
m-Xylenealpha.,	-	Ceiling: 0.1 mg/m ³	-	Ceiling: 0.1 mg/m ³	
.alpha.`-diamine				iho*	Ceiling: 0.1 mg/m ³
1477-55-0					H*
Triethanolamine	-	TWA: 5 mg/m ³	-	TWA: 5 mg/m ³	TWA: 0.5 ppm
102-71-6					TWA: 3.1 mg/m ³
Piperazine	TWA: 0.1 mg/m ³	-	STEL: 0.3 mg/m ³	TWA: 0.028 ppm	TWA: 0.003 ppm
110-85-0	STEL: 0.3 mg/m ³		TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
				STEL: 0.084 ppm	
				STEL: 0.3 mg/m ³	
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
p-tert-Butyl phenol	H*	STEL: 0.16 ppm	-	-	-
98-54-4	STEL 0.4 ppm	STEL: 1 mg/m ³			
	STEL 2.5 mg/m ³	TWA: 0.08 ppm			
	TWA: 0.08 ppm	TWA: 0.5 mg/m ³			
	TWA: 0.5 mg/m ³				
m-Xylenealpha.,	STEL 0.1 mg/m ³	H*	P*	Ceiling: 0.1 mg/m ³	-
.alpha.`-diamine	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³			
1477-55-0	Ceiling 0.1 mg/m ³				
Triethylene tetramine	-	-	STEL: 3 mg/m ³	TWA: 1 ppm	-
112-24-3			TWA: 1 mg/m ³	TWA: 6 mg/m ³	
				STEL: 3 ppm	
T	OTEL 4.0	OTEL OO ' O		STEL: 12 mg/m ³	T)4/4 5 / 2
Triethanolamine	STEL 1.6 ppm	STEL: 20 mg/m ³	-	TWA: 5 mg/m ³	TWA: 5 mg/m ³
102-71-6	STEL 10 mg/m ³	TWA: 5 mg/m ³		STEL: 10 mg/m ³	STEL: 15 mg/m ³
	TWA: 0.8 ppm				



Page 6/16

Revision Date 10-Feb-2021

		TWA: 5 mg/m ³				
Ī	Piperazine 110-85-0	STEL 0.3 mg/m ³ TWA: 0.1 mg/m ³	-	STEL: 0.3 mg/m ³ TWA: 0.1 mg/m ³		TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³
		_		_	STEL: 0.3 ppm STEL: 0.9 mg/m ³	_

Biological occupational exposure limits

Chemical name	European Union	United Kingdom	France	Spain	Germany
p-tert-Butyl phenol	-	-	-	-	2 mg/L
98-54-4					
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Chemical name p-tert-Butyl phenol	Austria -	Switzerland 2	Poland -	Norway -	Ireland -

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

8.2. Exposure controls

Engineering Controls

Eyewash stations. Showers. Ventilation systems.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand Protection Wear suitable gloves. Impervious gloves.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
	Wear protective butyl rubber gloves Wear protective Neoprene™ gloves Wear protective nitrile rubber gloves		

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant Skin and body protection

Respiratory protection Use appropriate respiratory protection.

Recommended Filter type: Green

Environmental exposure

controls

No information available.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Liquid **Physical state** Clear **Appearance** Odor Acrid Color Clear

Odor Threshold No data available



Page 7/16

Revision Date 10-Feb-2021

Remarks Method Values Property

No data available pН Melting / freezing point < 0 °C

None known Boiling point / boiling range No data available None known **Flash Point** >90 °C None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air

None known

Upper flammability limit No data available Lower flammability limit No data available

Vapor pressure < 1 mm Hg None known

Vapor density No data available None known

Relative density

Water Solubility Completely soluble Solubility(ies)

No data available None known Partition coefficient: n-octanol/water **Data Lacking**

Autoignition temperature No data available None known **Decomposition temperature** No data available None known 150 mm2/s None known Kinematic viscosity 150 cP None known Viscosity

9.2. Other information

Softening Point No information available Molecular Weight No information available **VOC Content (%)** No information available No information available **Liquid Density** No information available **Bulk Density** Particle Size No information available **Particle Size Distribution** No information available

Section 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

None under normal processing. Possibility of Hazardous

Reactions

Hazardous Polymerization Hazardous polymerization does not occur.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials



Strong acids.

10.6. Hazardous decomposition products

Carbon oxides, Nitrogen oxides (NOx), Ammonia.

Section 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Corrosive by

inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be

fatal. May cause sensitization in susceptible persons.

Eye contact Specific test data for the substance or mixture is not available. Causes burns.

(based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage

to eyes.

Skin contact Specific test data for the substance or mixture is not available. Corrosive. (based

on components). Causes burns. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause sensitization by skin

contact.

Ingestion Specific test data for the substance or mixture is not available. Causes burns.

(based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. May cause additional affects as listed under

"Inhalation".

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing. Symptoms

of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or

flushing. Itching. Rashes. Hives.

Numerical measures of toxicity

Acute Toxicity

Unknown acute toxicity

99 % of the mixture consists of ingredient(s) of unknown toxicity



32 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

37 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

84 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

99 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene glycol diamine,	= 242 mg/kg (Rat)	= 360 mg/kg (Rabbit)	-
2-amino-, diether with			
Propylene			
p-tert-Butyl phenol	= 4000 mg/kg (Rat)	= 2318 mg/kg (Rabbit)	-
m-Xylenealpha.,	= 660 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 700 ppm (Rat) 1 h
.alpha.`-diamine			
Triphenyl phosphite	= 444 mg/kg (Rat) = 1590	> 2000 mg/kg (Rabbit)	> 6.7 mg/L (Rat) 1 h
	mg/kg (Rat)		
Triethylene tetramine	> 1000 mg/kg (Rat)	= 550 mg/kg (Rabbit)	-
Triethanolamine	= 4190 mg/kg (Rat)	> 16 mL/kg (Rat) > 20	-
		mL/kg(Rabbit)	
Piperazine	= 600 mg/kg (Rat)	= 1590 mg/kg (Rabbit)	-
1-(2-Aminoethyl) piperazine	= 2140 µL/kg (Rat)	= 880 µL/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes burns.

Serious eye damage/eye

irritation

Classification based on data available for ingredients. Risk of serious damage to

eyes. Causes burns.

Respiratory or skin sensitization May cause sensitization by inhalation. May cause sensitization by skin contact.

Germ cell mutagenicity Contains a known or suspected mutagen. Classification based on data available

for ingredients. Suspected of causing genetic defects.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Carcinogenicity No information available.

Reproductive Toxicity Contains a known or suspected reproductive toxin. Classification based on data

available for ingredients. Suspected of damaging fertility or the unborn child.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
p-tert-Butyl phenol	Repr. 2
Piperazine	Repr. 2

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.



Section 12: Ecological information

12.1. Toxicity

Ecotoxicity

Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
p-tert-Butyl phenol	72h EC50: = 11.2	96h LC50: = 6.9 mg/L	EC50 = 0.21 mg/L 5	48h EC50: = 3.9 mg/L
p-tert-butyl prierior	mg/L (Desmodesmus	(Cyprinus carpio) 96h	min	48h EC50: 3.4 - 4.5
	subspicatus)	LC50: 4.71 - 5.62	111111	mg/L
	3db3picatd3)	mg/L (Pimephales		l liig/L
		promelas)		
Triethylene tetramine	72h EC50: = 2.5 mg/L	96h LC50: = 570 mg/L		48h EC50: = 31.1
Theatylene tetramine	(Desmodesmus	(Poecilia reticulata)		mg/L
	subspicatus) 96h	96h		
	EC50:	LC50: = 495 mg/L		
		(Pimephales promelas)		
	(Pseudokirchneriella	(1 miophaloo promolao)		
	subcapitata) 72h			
	EC50: =			
	20 mg/L			
	(Pseudokirchneriella			
	subcapitata)			
Triethanolamine	96h EC50: = 169 mg/L	96h LC50: 10600 -	-	24h EC50: = 1386
	(Desmodesmus	13000 mg/L		mg/L
	subspicatus) 72h	(Pimephales		
	EC50:	promelas) 96h LC50: >		
	= 216 mg/L	1000 mg/L		
	(Desmodesmus	(Pimephales		
	subspicatus)	promelas) 96h LC50:		
		450 - 1000 mg/L		
		(Lepomis macrochirus)		
Piperazine	-	96h LC50: > 10000	EC50 = 430 mg/L 30	96h EC50: = 6915
		mg/L (Lepomis	min	mg/L
		macrochirus)		
1-(2-Aminoethyl)	72h EC50: = 495 mg/L	96h LC50: >= 100	EC50 > 10000 mg/L	48h EC50: = 32 mg/L
piperazine	(Pseudokirchneriella	mg/L (Oncorhynchus	17 h	
	subcapitata)	mykiss) 96h LC50: >		
		1000 mg/L (Poecilia		
		reticulata) 96h LC50:		
		1950 - 2460 mg/L		
		(Pimephales promelas)		

12.2. Persistence and degradability

Persistence and Degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation



Page 11/16

Revision Date 10-Feb-2021

Chemical name	Log Pow
p-tert-Butyl phenol	2.44
Triphenyl phosphite	4.98
Triethanolamine	-2.53
1-(2-Aminoethyl) piperazine	-1.48

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Propylene glycol diamine, 2-amino-, diether with	The substance is not PBT / vPvB
Propylene	
p-tert-Butyl phenol	The substance is not PBT / vPvB PBT assessment does
	not apply
m-Xylenealpha., .alpha.`-diamine	The substance is not PBT / vPvB
Triphenyl phosphite	The substance is not PBT / vPvB
Triethanolamine	The substance is not PBT / vPvB
Piperazine	The substance is not PBT / vPvB
1-(2-Aminoethyl) piperazine	The substance is not PBT / vPvB

12.6. Other adverse effects

Other adverse effects No information available.

Endocrine Disruptor Information

Endocrine Disruptor information		
Chemical name	EU - Endocrine Disrupters	EU - Endocrine Disruptors -
	Candidate List	Evaluated Substances
p-tert-Butyl phenol	Group II Chemical	-
Triethylene tetramine	Group III Chemical	-

Section 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Can be landfilled or incinerated, when in compliance with local regulations. Dispose of waste in accordance with environmental legislation. Should not be

released into the environment.

Contaminated packaging Dispose of contents/containers in accordance with local regulations.

Section 14: Transport information

IMDG/IMO

14.1 UN-No. 27

14.2 Proper Shipping Name

Description

POLYAMINES, LIQUID, CORROSIVE, N.O.S.

UN2735, POLYAMINES, LIQUID, CORROSIVE, N.O.S. (PROPYLENE GLYCOL

DIAMINE, 2-AMINO-, DIETHER WITH PROPYLENE, TRIETHYLENE



TETRAMINE), 8, II, MARINE POLLUTANT

14.3 Hazard Class 8
14.4 Packing Group ||

14.5 Marine Pollutant Not applicable

Environmental hazard Yes

14.6 Special Provisions None
EmS-No. F-A, S-B

14.7 Transport in bulk No information available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Code

RID

14.1 UN-No. UN2735

14.2 Proper Shipping Name POLYAMINES, LIQUID, CORROSIVE, N.O.S.

Description UN2735, POLYAMINES, LIQUID, CORROSIVE, N.O.S. (PROPYLENE GLYCOL

DIAMINE, 2-AMINO-, DIETHER WITH PROPYLENE, TRIETHYLENE

TETRAMINE), 8, II, ENVIRONMENTALLY HAZARDOUS

14.3 Hazard Class
ADR/RID-Labels814.4 Packing GroupII14.5 Environmental hazardYes14.6 Special Provisions
Classification codeNone

ADR

14.1 UN-No. UN2735

14.2 Proper Shipping Name POLYAMINES, LIQUID, CORROSIVE, N.O.S.

Description UN2735, POLYAMINES, LIQUID, CORROSIVE, N.O.S. (PROPYLENE GLYCOL

DIAMINE, 2-AMINO-, DIETHER WITH PROPYLENE, TRIETHYLENE

TETRAMINE), 8, II, (E), ENVIRONMENTALLY HAZARDOUS

14.3Hazard Class814.4Packing GroupII14.5Environmental hazardYes

14.6 Special Provisions None 274

Classification code C7
Tunnel restriction code (E)

IATA

14.1 UN-No. UN2735

14.2 Proper Shipping Name AMINES, LIQUID, CORROSIVE, N.O.S.

Description UN2735, AMINES, LIQUID, CORROSIVE, N.O.S. (PROPYLENE GLYCOL

DIAMINE, 2-AMINO-, DIETHER WITH PROPYLENE, TRIETHYLENE

TETRAMINE), 8, II

14.3 Hazard Class814.4 Packing GroupII14.5 Environmental hazardYes14.6 Special ProvisionsNone

ERG Code 8L

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Triethylene tetramine	RG 49,RG 49bis	-
112-24-3		
Triethanolamine	RG 49 RG 49,RG 49bis	-
102-71-6		
Piperazine	RG 49,RG 49bis,RG 65,RG 66	-
110-85-0		

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV). This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Persistent Organic Pollutants

Not applicable.

Dangerous substance category per Seveso Directive (2012/18/EU)

E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable.

International Inventories

Contact supplier for inventory compliance status. **TSCA DSL/NDSL** Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status. **AICS**

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances



15.2. Chemical safety assessment

No information available.

Section 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H331 - Toxic if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H341 - Suspected of causing genetic defects

H361f - Suspected of damaging fertility

H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H412 - Harmful to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorization:

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value - Skin designation

Key literature references and sources for data

www.ChemADVISOR.com/

Issuing Date 01-Feb-2019

Revision Date 10-Feb-2021

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.





The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

End of Safety Data Sheet

